

IB Calculus Assignment

Summer 2016

Mrs. Francis

Name: _____

Grade: _____

Calculator Used: _____

Summer Assignment Grade: _____

Please read carefully.

- *This packet is designed to review key Pre-Calculus IB topics. It is broken down into seven sections focused on in the IB Curriculum for Mathematics SL. These topics will be reviewed briefly at the beginning of the school year. **You will be assessed on any/all of the topics** in this packet.*
- *You are encouraged to complete this packet **on your own** with **minimal** outside help. It is intended to call your attention to any material you will need additional help on over the course of next year.*
- *You may use the **IB Math SL Formula Booklet** posted on my web site. Please keep this packet handy and use it as reference throughout the 2015-2016 school year.
http://mendham.wmrhsd.org/FACULTY_FILES/mfrancis/Math%20SL%20Formula%20Booklet.pdf*
- ***YOU MUST HAVE THIS ENTIRE PACKET COMPLETE ON THE FIRST FULL DAY OF CLASS!** (Not the very first day of school). It will be graded. We will go over any questions before you are assessed on the material. Pace yourself – It is lengthy!*

PART I: ALGEBRA

Given: $f(x) = x^2 + 3x - 1$, find $\frac{f(x + \Delta x) - f(x)}{\Delta x}$, $\Delta x \neq 0$

2. List all asymptotes for the following rational functions.

a) $f(x) = \frac{x^2 + 5x + 8}{x + 3}$

b) $y = \frac{x - 3}{x^2 + 5x - 6}$

c) $y = \frac{x - 2}{x^2 - 3x + 2}$

3. Determine whether the following functions are even, odd, or neither. Justify your answers.

a) $f(x) = -x^5 + 3x^3 - 2x + 1$

b) $g(x) = 5x^2 - 2$

c) $h(x) = x^4 + 2x - 2$

d) $k(x) = x^7 - 4x$

4. Determine any horizontal/vertical intercepts of $f(x) = 6x^3 - 19x^2 + 16x - 4$.

5. Solve the given inequalities.

a) $|3x + 1| \geq -4$

b) $x^2 + x - 1 \leq 5$

6. Find the following sums

a) $\sum_{n=1}^6 (n^2 - n)$

b) $\sum_{n=1}^4 \left(2 + \frac{5}{2}n - \frac{3}{2}n^2 \right)$

7. Solve the equation: $9^{x-1} = \left(\frac{1}{3}\right)^{2x}$

8. Let $\log_{10} P = x$, $\log_{10} Q = y$, and $\log_{10} R = z$. Express $\log_{10} \left(\frac{P}{QR^3} \right)^2$ in terms of x , y , and z .

9. Solve the equation: $\log_{27} x = 1 - \log_{27} (x - 0.4)$.

10. A sum of \$5,000 is invested at a continuously compounded interest rate of 6.3% per annum.

a) Write down an expression for the value of the investment after n full years.

b) What will be the value of the investment at the end of five years?

c) The value of the investment will exceed \$10,000 after n full years. Calculate the minimum value of n .

11. Find the coefficient of x^5 in the expansion of $(3x - 2)^8$.

12. Determine an expression to represent the given sequences below. Then find a formula to find the sum of the first n terms. (Assume $n = 1$ represents the first term).

a. 25, 22, 19, 16,

b. $1, \frac{9}{10}, \frac{81}{100}, \frac{729}{1000}, \dots$

c. $\frac{1}{(2)(3)}, \frac{1}{(3)(4)}, \frac{1}{(4)(5)}, \frac{1}{(5)(6)}, \dots$

13. Find the sum of the infinite geometric series: $\frac{2}{3} - \frac{4}{9} + \frac{8}{27} - \frac{16}{81} \dots$

14. The first three terms of an arithmetic sequence are 7, 9.5, 12. What is the sum of the first 101 terms of the sequence?

15. In an arithmetic sequence, the first term is -2, the fourth term is 16 and the n^{th} term is 11,998. Find the common difference, d , and the value of n .

PART II: FUNCTIONS

1. Let $f(x) = e^{-x}$ and $g(x) = \frac{x}{1+x}$, $x \neq -1$. Find the following and the domain of each.

a) $f^{-1}(x)$

b) $(f \circ g)(x)$

c) $g(f(x))$

d) $(f \cdot g)(x)$

e) $\left(\frac{f}{g}\right)(x)$

f) $f(g(0))$

2. The equation $kx^2 + 3x + 1 = 0$ has exactly one solution. Find the value of k .

3. The mass m kg of a radio-active substance at time t hours is given by $m = 4e^{-0.2t}$. If the mass is reduced to 1.5 kg. How long does it take?

4. The function f is given by $f(x) = x^2 - 6x + 13$ for $x \geq 3$.

a) Write $f(x)$ in the form of $(x - a)^2 + b$.

b) Find the inverse function of $f(x)$.

c) State the domain of the inverse.

5. The equation $x^2 - 2kx + 1 = 0$ has two distinct real roots. Find the set of all possible values of k .

6. The functions f and g are defined by $f : | \rightarrow 3x$ and $g : | \rightarrow x + 2$.

a) Find an expression for $(f \circ g)(x)$.

b) Find $f^{-1}(x) + g^{-1}(x) = 17$.

7. The quadratic function f is defined by $f(x) = 3x^2 - 12x + 11$.

a) Write f in the form of $f(x) = 3(x - h)^2 - k$.

b) The graph of f is translated 5 units in the negative x -direction and 3 units the negative y -direction. Find the function g for the translated graph, given your answer in the form of $g(x) = 3(x - p)^2 + q$.

8. The function f is given by $f(x) = e^{(x-11)} - 8$. Find $f^{-1}(x)$ and its domain.

9. The point $A(3, -1)$ is on the graph of f . The point A' is the corresponding point on the graph of $y = -2f(x) + 4$. Find the coordinates of A' .

PART III: TRIGONOMETRY

1. Find the x-coordinates of the solution(s) of $2 + \cos(2x) - 2\sin(0.5x) = 0$ for $0 \leq x \leq 3$, where x is in radians.
-

2. Given $f(x) = 3\sin^2 x - 11\sin x + 6$.

a) Factorize the expression.

b) Find the two values of $\sin x$ which satisfy the equation

c) Solve the equation for $0^\circ \leq x \leq 180^\circ$

3. In a triangle ABC, $AB = 4\text{cm}$, $AC = 3\text{cm}$ and the area of the triangle is 4.5cm^2 . Find the two possible values of the angle BAC.
-

4. Solve the equation $2\cos^2(x) = \sin(2x)$ for $0 \leq x \leq \pi$ giving your answers in terms of π .
-

5. In triangle ABC, $BC = 5\text{cm}$, angle B is 60 degrees, and angle C is 40 degrees.

a) Find AB.

b) Find the area of the triangle.

6. Consider $y = \sin\left(x + \frac{\pi}{9}\right)$

- a) The graph of y intersects the x -axis at point A . Find the x -coordinate of A , where $0 \leq x \leq \pi$.

b) Solve the equation $-\frac{1}{2} = \sin\left(x + \frac{\pi}{9}\right)$, for $0 \leq x \leq 2\pi$

7. Verify the identity: $\frac{1}{1 - \sin\theta} + \frac{1}{1 + \sin\theta} = 2\sec^2\theta$

8. Use the properties of logarithms and trigonometric identities to verify this identity: $-\ln(1 + \cos\theta) = \ln(1 - \cos\theta) - 2\ln|\sin\theta|$

9. Solve: $3\tan^2\theta - 1 = 0$

10. Solve: $2\sin^2 x + 3\cos x - 3 = 0$

PART IV: VECTORS

1. ABCD is a rectangle and O is the midpoint of AB.
a) Create a drawing representing the problem.

- b) Express each of the following vectors in terms of \overrightarrow{OC} and \overrightarrow{OD} .
a) \overrightarrow{CD} b) \overrightarrow{OA} c) \overrightarrow{AD}
-

2. The vectors i and j are unit vectors along the x-axis and y-axis respectively.
a) Given the vectors $u = -i + j$ and $v = 3i + 5j$, find $u + 2v$ in terms of i and j .

- b) A vector w has the same direction as $u + 2v$, and has a magnitude of 26. Find w in terms of i and j .
-

3. A line passes through the point (4, -1) and its direction is perpendicular to the vector $\begin{pmatrix} 2 \\ 3 \end{pmatrix}$. Find the equation of the line in the form $ax + by = p$ where a , b , and p are integers to be determined.
-

4. The vectors $\begin{pmatrix} 2x \\ x-3 \end{pmatrix}$ and $\begin{pmatrix} x+1 \\ 5 \end{pmatrix}$ are orthogonal for two values of x . Find the two values of x .
-

PART V: PROBABILITY

1. In a survey of 200 people, 90 of whom were female, it was found that 60 people were unemployed, including 20 males.

a) Use the information to complete the table below.

	Male	Female	Totals
Unemployed			
Employed			
Totals			200


b) If a person is selected at random from this group of 200, find the probability that this person is

1. An unemployed female

2. A male, given that the person is employed.

2. The following Venn diagram shows a sample space U and events A and B where

$$n(U) = 36, n(A) = 11, n(B) = 6 \text{ and } n(A \cup B)' = 21.$$



a) On the diagram, shade the region $(A \cup B)'$.

b) Find $n(A \cap B)$.

c) Find $p(A \cap B)$.


d) Determine if the events are mutually exclusive. Explain your answer.

3. For the events A and B , $p(A) = 0.6$, $p(B) = 0.8$ and $p(A \cup B) = 1$. Find

a) $p(A \cap B)$

b) $p(A' \cup B')$

-
4. Two fair 6-sided dice are rolled and the total score is noted.
a) Complete the tree diagram by entering the probabilities.



- b) Find the probability of getting one or more sixes.
-
5. A bag contains 10 red chips, 10 green chips and 6 white chips. Two chips are drawn at random from the bag without replacement. What is the probability that they are of different colors?
-
6. A factory makes staplers. Over a long period of time 4% of them are faulty. A random sample of 200 staplers is tested.
a) Write down the expected number of faulty staplers in the sample.
b) Find the probability that exactly 5 calculators are faulty.
c) Find the probability that one or more are faulty.
-
7. A family of functions is given by $f(x) = x^2 + 3x + k$, where $k \in \{1, 2, 3, 4, 5, 6, 7\}$. One of these functions is chosen at random. Calculate the probability that the curve of this function crosses the x-axis.
-

PART VI: STATISTICS

1. Given the following frequency distribution find the value of the mean and the median.

Number (x)	1	2	3	4	5	6
Frequency (f)	5	9	16	18	20	7

Mean = _____

Median = _____

2. From January to September, the mean number of car accidents per month was 630. From October to December, the mean was 810 accidents per month. What was the mean number of car accidents per month for the whole year?
-

3. Let a, b, c and d be integers such that $a < b < c$ and $c = d$. The mode of these four numbers is 11. The range of these four numbers is 8. The mean of these four numbers is 8. Find the values of a, b, c and d .
-

4. The 45 students in a class each recorded the number of whole minutes, x , spent doing experiments on Monday. The results are $\sum x = 2230$.

a) Find the mean number of minutes the students spent on doing experiments on Monday.

b) Two new students joined the class and reported that they spent 37 and 30 minutes respectively. Calculate the new mean for the class.

PART VII: LIMITS

1. Find the following limits. State the process you used to find the value (Substitution, graphing, rationalization, etc). If the limit doesn't exist, please state the reason why.

a) $\lim_{x \rightarrow 2} (x^2 + 3x - 4)$

b) $\lim_{x \rightarrow 8} \frac{\sqrt{x+1}}{x-4}$

c) $\lim_{x \uparrow \frac{1}{4}} \frac{\tan \pi x}{2}$

d) $\lim_{x \rightarrow 4} \frac{\sqrt{x+5} - 3}{x-4}$

e) $\lim_{x \rightarrow 0} \cos \frac{1}{x}$

f) $\lim_{x \rightarrow 1} \arccos \frac{x}{2}$

g) $\lim_{t \rightarrow -2} \frac{t^3 + 8}{t + 2}$

h) $\lim_{x \rightarrow 0} \frac{\frac{1}{5-x} - \frac{1}{5}}{x}$

i) $\lim_{x \rightarrow 2} \frac{4 - \sqrt{18-x}}{x-2}$

2. Find the following limits at infinity.

a) $\lim_{x \rightarrow \infty} \frac{4}{2x+3}$

b) $\lim_{x \rightarrow \infty} \frac{2x^2 - 6}{(x-1)^2}$

c) $\lim_{x \rightarrow \infty} \frac{4x^4}{x^2 + 1}$

-
3. Find the left and right limits of each of the following. Then determine if the limit exists. Explain your answer.

a) $\lim_{x \rightarrow 3} \frac{|x-3|}{x-3}$

b) $\lim_{x \rightarrow 2} \begin{cases} x-1, & x \leq 2 \\ 2x-3, & x > 2 \end{cases}$

-
4. Find the derivative of the function using the limit definition. $f(r) = \frac{1}{\sqrt{r+1}}$

-
5. Use the limit process to find the slope of the graph at the indicated point.
 $f(x) = 10x - 2x^2$ (3, 12)

-
6. Find the equation of the tangent line to the graph of the given function passing through the indicated point. $f(x) = \sqrt{x+1}$, (3, 2)
-